

Technical Data Sheet



Complies With ASTM D1751

Typical Physical Properties	Minimum	Maximum	Measured
Compression	100 psi	750 psi	355 psi
Weight Loss after Compression		3%	<0.01
Extrusion		.25 in	.016 in
Recovery	70%		82.5%
Density	18 lb/ft ³ 288kg/m ³		18.8 lb/ft ³ 302 kg/m ³
Water Absorption		15%	12.5%
Asphalt Content	35%		40.1%

Available Sizes

Thickness: 3/8", 1/2", 3/4", 1"

Sheet Size: 44" & 48" x 60" and 44" & 48" x 120"

Strips Size: 2", 3", 3.5", 4", 4.5", 5", 5.5", 6", 8", 12", 14", 16", 18"